



DEPARTMENT OF ENVIRONMENTAL PROTECTION

Isiah Leggett
County Executive

Patty Bubar
Acting Director

April 20, 2018

Mr. William Prunka, President
Tri-State Stone & Building Supply, Inc.
5200 Seven Locks Road
P.O. Box 34300
Bethesda, MD 20827

Re: Annual Quarry License Certification

Dear Mr. Prunka:

I am in receipt of Tri-State Stone's submittal received December 29, 2017, containing records and documents as part of your annual license review and certification. These records and documents include:

1. Surface Mining License No. SL-0026, effective through 12/31/18.
2. Surface Mining Permit No. 77-SP-0057-B, issued by the Maryland Department of the Environment, Water Management Administration, effective through March 31, 2022.
3. Proof of minor quarry status confirming the facility shipped less than 400 tons of material per day on average for the previous calendar year.
4. Montgomery County, Department of Permitting Services, Sediment Control Permit 205323, effective through August 4, 2022.
5. Current Certificate of Insurance for commercial general liability coverage of at least \$1,000,000.
6. Valid Performance Bond or Letter of Credit in the amount of \$10,000, plus \$300 for each acre under license, made payable to the County.

You indicated there have been no changes to the Site Plan, Sediment Control and Storm Water Management Plan, and Particulate Control Plan. Copies of these documents are on file with the Department and were submitted as part of the license renewal application in 2016.

A review of the records and documents submitted for the annual license review and certification have found them to be timely and complete. Insofar as there were no substantive operational or compliance issues, the quarry license is recertified for another year, effective on the license anniversary date of January 19, 2018.

If you have any questions, please contact me at 240-777-7746.

Sincerely,

Steven C. Martin, Compliance Supervisor
Division of Environmental Policy & Compliance

Cc: Patty Bubar, DEP
Stan Edwards, DEP